

FACE RECOGNITION BASED SMART ATTENDANCE SYSTEM USING MACHINE LEARNING

DR.SURESH NARASIMMAN¹

FACULTY, DEPARTMENT OF ECE, AVN INSTITUTE OF ENGINEERING AND TECHNOLOGY,
AMDAS PALLY, HYDERABAD, TELANGANA 501510

MD.GANDHI BABU¹

FACULTY, DEPARTMENT OF ECE, AVN INSTITUTE OF ENGINEERING AND TECHNOLOGY,
AMDAS PALLY, HYDERABAD, TELANGANA 501510

GADEY SAI ALEKHYA²

UG SCHOLAR, DEPARTMENT OF ECE, AVN INSTITUTE OF ENGINEERING AND TECHNOLOGY,
AMDAS PALLY, HYDERABAD, TELANGANA 501510

K RAKSHA²

UG SCHOLAR, DEPARTMENT OF ECE, AVN INSTITUTE OF ENGINEERING AND TECHNOLOGY,
AMDAS PALLY, HYDERABAD, TELANGANA 501510

KAPPALA RAKESH²

UG SCHOLAR, DEPARTMENT OF ECE, AVN INSTITUTE OF ENGINEERING AND TECHNOLOGY,
AMDAS PALLY, HYDERABAD, TELANGANA 501510

MARAKALA BHARADWAJ²

UG SCHOLAR, DEPARTMENT OF ECE, AVN INSTITUTE OF ENGINEERING AND TECHNOLOGY,
AMDAS PALLY, HYDERABAD, TELANGANA 501510

ABSTRACT - Face is the crucial part of the human body that uniquely identifies a person. Using the face characteristics as biometric, the face recognition system can be implemented. The most demanding task in any organization is attendance marking. In traditional attendance system, the students are called out by the teachers and their presence or absence is marked accordingly. However, these traditional techniques are time consuming and tedious. In this project, the Open CV based face recognition approach has been proposed. This model integrates a camera that captures an input image, an algorithm for detecting face from an input image, encoding and identifying the face, marking the attendance in a spreadsheet and converting it into PDF file. The training database is created by training the system with the faces of the authorized students. The cropped images are then stored as a database with respective labels. The features are extracted using LBPH algorithm.

Keywords - LBPH, OpenCV, camera, attendance, biometric, face recognition, spreadsheet

I. INTRODUCTION Attendance maintenance is a significant function in all the institutions to monitor the performance of the students. Every institute does this in its own way. Some of these institutes use the old paper or file based systems and some have adopted strategies of automatic attendance using some biometric techniques. A facial recognition system is a computerized biometric software which is suited for determining or validating a person by performing comparison on patterns based on their facial appearances. Face recognition systems have upgraded appreciably in their management over the recent years and this technology is now vastly used for various objectives like security and in commercial operations. Face recognition is a powerful field of research which is a computer based digital technology. Face recognition for the intent of marking attendance is a resourceful application of attendance system. It is widely used in security systems and it can be compared with other biometrics such as fingerprint or eye iris recognition systems. As the number of

students in an educational institute or employees at an organization increases, the needs for lecturers or to the organization also increase the complication of attendance control. This project may be helpful for the explanation of these types of problems. The number of students present in a lecture hall is observed, each person is identified and then the information about the number of students who are present is maintained.

II. OVERVIEW Face recognition being a biometric technique implies determination if the image of the face of any particular person matches any of the face images that are stored in a database. This difficulty is tough to resolve automatically because of the changes that several factors, like facial expression, aging and even lighting can affect the image. Facial recognition among the various biometric techniques may not be the most authentic but it has various advantages over the others. Face recognition is natural, feasible and does not require assistance. The expected system engages the face recognition approach for the automating the attendance procedure of students or employees without their involvement. A web cam is used for capturing the images of students or employees. The faces in the captured images are detected and compared with the images in database and the attendance is marked.

III. IMAGE PROCESSING The facial recognition process can be split into two major stages: processing which occurs before detection involving face detection and alignment and later recognition is done using feature extraction and matching steps.

1. FACE DETECTION The primary function of this step is to conclude whether the human faces emerge in a given image, and what is the location of these faces. The expected outputs of this step are patches which contain each face in the input image. In order to get a more robust and easily designable face recognition system. Face alignment is performed to rationalise the scales and orientation of these patches.

2. FEATURE EXTRACTION Following the face detection step the extraction of human face patches from images is done. After this step, the conversion of face patch is done into vector with fixed coordinates or a set of landmark points.

3. FACE RECOGNITION The last step after the representation of faces is to identify them. For automatic recognition we need to build a face database. Various images are taken for each person and their features are extracted and stored in the database. Then when an input image is fed the face detection and feature extraction is performed and its feature to each face class is compared and stored in the database.

IV. ALGORITHM There are various algorithms used for facial recognition. Some of them are as follows:

1. Eigen faces
2. Fisher faces
3. Local binary patterns histograms

1. EIGEN FACES This method is a statistical plan. The characteristic which influences the images is derived by this algorithm. The whole recognition method will depend on the training database that will be provided. The images from two different classes are not treated individually.

2. FISHER FACES Fisher faces algorithm also follows a progressive approach just like the Eigen faces. This method is a alteration of Eigen faces so it uses the same principal Components Analysis. The major conversion is that the fisher faces considers the classes. As mentioned previously, the Eigen faces does not differentiate between the two pictures from two differed classes while training. The total average affects each picture. A Fisher face employs Linear Discriminant Analysis for distinguishing between pictures from a different class.

3. LOCAL BINARY PATTERNS HISTOGRAMS This method needs the gray scale pictures for dealing with the training part. This algorithm in comparison to other algorithms is not a holistic approach.

A. PARAMETERS: LBPH uses the following parameters: i. Radius: Generally 1 is set as a radius for the circular local binary pattern which denotes the radius around the central pixel. ii. Neighbours: The number of sample points surrounding the central pixel which is generally 8. The computational cost will increase with

increase in number of sample points. iii. Grid X: The number of cells along the horizontal direction is represented as Grid X. With the increase in number of cells the grid becomes finer which results in increase of dimensional feature vector. iv. Grid Y: The number of cells along the vertical direction is represented as Grid Y. With the increase in number of cells the grid becomes finer which results in increase of dimensional feature vector.

B. ALGORITHM TRAINING: For the training purpose of the dataset of the facial images of the people to be recognized along with the unique ID is required so that the presented approach will utilize the provided information for perceiving an input image and providing the output. Same images require same ID.

C. COMPUTATION OF THE ALGORITHM: The intermediate image with improved facial characteristics which corresponds to the original image is created in the first step. Based on the parameters provided, sliding window theory is used in order to achieve so. Facial image is converted into gray scale. A 3x3 pixels window is taken which can also be expressed as a 3x3 matrix which contains the intensity of each pixel (0-255). After this we consider the central value of the matrix which we take as the threshold. This value defines the new values obtained from the 8 neighbours. A new binary value is set for each neighbour of the central value. For the values equal to or greater than the threshold value 1 will be the output otherwise 0 will be the output. Only binary values will be present in the matrix and the concatenation is performed at each position to get new values at each position. Then the conversion of this binary value into a decimal value is done which is made the central value of the matrix. It is a pixel of the actual image. As the process is completed, we get a new image which serves as the better characteristics of the original image.

D. EXTRACTION OF HISTOGRAM: The image obtained in the previous step uses the Grid X and Grid Y parameters and the image is split into multiple grids. Based on the image the histogram can be extracted as below: 1. The image is in gray scale and each histogram will consist of only 256 positions (0-255) which symbolises the existences of each pixel intensity. 2. After this each histogram is created and a new and bigger histogram is done. Let us suppose that there are 8x8 grids, then there will be 16.384 positions in total in the final histogram. Ultimately the histogram signifies the features of the actual image.

E. THE FACE RECOGNITION: The training of the algorithm is done. For finding the image which is same as the input image, the two histograms are compared and the image corresponding to the nearest histogram is returned. Different approaches are used for the calculation of distance between the two histograms. Here we use the Euclidean distance based on the formula:

$$D = \sqrt{\sum_{i=1}^n (hist1_i - hist2_i)^2}$$

Hence the result of this method is the ID of the image which has the nearest histogram. It should return the distance calculated in the form of 'confidence'. Then the threshold and the 'confidence' can be used to automatically evaluate if the image is correctly recognized. If the confidence is less than the given threshold value, it implies that the image has been well recognized by the algorithm.

ACE	FACE	
Confidence factor based on output is 2,000-3,000.	It is 100-400.	
Threshold value is 4,000.	Threshold value is 400	Threshold value is 7.
Principle of dataset generation is component based.	It is component based.	It is pixel based.
Basic principle is PCA.	Basic principle is LDA.	Basic principle is Histogram.
Background noise is maximum.	Background noise is medium.	Background noise is minimum.
Efficiency is minimum.	Efficiency is greater than Eigen face.	Efficiency is maximum.

Table 1. Comparison of LBPH with other algorithms.

ADVANTAGES OF USING LBPH ALGORITHM: 1. It is one of the simplest algorithms for face recognition. 2. The local features of the images can be characterized by this algorithm. 3. Using this algorithm, considerable results can be obtained. 4. Open CV library is used to implement LBPH algorithm

V. BLOCK DIAGRAM




Fig 1. Block Diagram

DATABASE CREATION: The first step in the Attendance System is the creation of a database of faces that will be used. Different individuals are considered and a camera is used for the detection of faces and the recording of the frontal face. The number of frame to be taken for consideration can be modified for accuracy levels. These images are then stored in the database along with the Registration ID.

TRAINING OF FACES: The images are saved in gray scale after being recorded by a camera. The LBPH recognizer is employed to coach these faces because the coaching sets the resolution and therefore the recognized face resolutions are completely variant. A part of the image is taken as the centre and the neighbours are thresholded against it. If the intensity of the centre part is greater or equal than it neighbour then it is denoted as 1 and 0 if not. This will result in binary patterns generally known as LBP codes.

FACE DETECTION: The data of the trained faces is stored in .py format. The faces are detected using the Haar cascade frontal face module.

FACE RECOGNITION: The data of the trained faces are stored and the detected faces are compared to the IDs of the students and recognized. The recording of faces is done in real time to guarantee the accuracy of the system. This system is precisely dependant on the camera's condition.

CONCLUSION This paper features the most productive Open CV face recognition method accessible for Attendance Management. The system has been implemented using the LBPH algorithm. LBPH excels other algorithms by confidence factor of 2-5 and has least noise interference. The implementation of the Smart

Attendance System portrays the existence of an agreement between the appropriate recognition rate and the threshold value. Therefore LBPH is the most authentic and competent face recognition algorithm found in Open CV for the identification of the students in an educational institute and marking their attendance adequately by averting proxies.

REFERENCES

- [1] Smart Attendance System using Computer Vision and Machine Learning Dipti Kumbhar#1 , Prof. Dr. Y. S. Angal*2 # Department of Electronics and Telecommunication, BSIOTR, Wagholi, Pune, India 1 diptikumbhar37@gmail.com , 2 yogeshangal@yahoo.co.in
- [2] ATTENDANCE SYSTEM USING MULTI-FACE RECOGNITION 1P. Visalakshi, 2Sushant Ashish 1Assistant Professor 1,2Department of Computer Science and Engineering SRM Institute of Science and Technology, Chennai, Tamil Nadu, INDIA
- [3] Face Recognition Based Student Attendance System with OpenCV CH. VINOD KUMAR1 , DR. K. RAJA KUMAR2 1 PG Scholar, Dept of CS& SE, Andhra University, Vishakhapatnam, AP, India. 2Assistant Professor, Dept of CS& SE, Andhra University, Vishakhapatnam, AP, India.
- [4] Automatic Attendance System Using Face Recognition. Ashish Choudhary1, Abhishek Tripathi2, Abhishek Bajaj3, Mudit Rathi4 and B.M Nandini5 1,2,3,4,5 Information Science and Engineering, The National Institute of Engineering,
- [5] Face Recognition based Attendance Management System using Machine Learning Anushka Waingankar1, Akash Upadhyay2, Ruchi Shah3, Nevil Pooniwalla4, Prashant Kasambe5
- [6] <https://www.superdatascience.com/blogs/opencv-face-recognition>
- [7] <https://towardsdatascience.com/face-recognition-how-lbph-works90ec258c3d6b>
- [8] <https://www.pyimagesearch.com/2018/09/24/opencv-facerecognition/>
- [9] <http://nxglabs.in/cloud/impact-biometric-attendance-systemeducational-institutes.html>
- [10] <https://iopscience.iop.org/article/10.1088/1757-899X/263/4/042095/pdf>
- [11] <http://www.ijsrp.org/research-paper-0218/ijsrp-p7433.pdf>
- [12] https://www.theseus.fi/bitstream/handle/10024/132808/Delbiaggio_Nicolas.pdf?sequence=1&isAllowed=y